

IN THE CLAIMS

The following is a complete listing of claims with a status identifier in parenthesis.

LISTING OF CLAIMS

1. (Cancelled)
2. (Cancelled)
3. (Currently Amended) The method as in claim 30 further comprising displaying only those nearby devices within a certain range.
4. (Currently Amended) The method as in claim 19, wherein each of the detected ~~said second~~ signals includes the type of nearby device.
5. (Previously Presented) The method as in claim 4 further comprising the step of displaying the type of nearby device associated with each received second signal.
- 6.-18. (Cancelled)
19. (Currently Amended) A method for selecting a device, from among nearby devices that are not grouped according to GPS co-ordinates, ~~nearby devices~~ to communicate with, comprising the steps of:
 - transmitting a ~~first~~ Bluetooth signal;
 - detecting a plurality of ~~second~~ Bluetooth signals from the nearby devices, each signal containing GPS coordinates of at least one nearby device; and
 - selecting one of the ~~[[a]]~~ nearby devices ~~device~~ associated with one of the detected signals to communicate with based on the received GPS coordinates.

20.-29. (Cancelled)

30. (Previously Presented) The method as in claim 19 further comprising the step of:

displaying the location of each nearby device associated with received GPS coordinates; and

selecting the nearby device to communicate with based on the displayed locations.

31. (Previously Presented) The method as in claim 30 further comprising selecting a nearby device associated with a shortest location.

32. (Currently Amended) A device for selecting a device, from among nearby devices that are not grouped according to GPS co-ordinates, nearby devices to communicate with, the device operable to:

transmit a ~~first~~ Bluetooth signal;

detect a plurality of ~~second~~ Bluetooth signals from the nearby devices, each signal containing GPS coordinates of at least one nearby device; and

selecting one of the ~~[[a]]~~ nearby devices ~~device~~ associated with one of the detected signals to communicate with based on the received GPS coordinates.

33. (Previously Presented) The device as in claim 32 further operable to:

display the location of each nearby device associated with received GPS coordinates; and

select the nearby device to communicate with based on the displayed locations.

34. (Previously Presented) The device as in claim 33 further operable to select a nearby device associated with a shortest location.

35. (Previously Presented) The device as in claim 33 further operable to display only those nearby devices within a certain range.

36. (Currently Amended) The device as in claim 32, wherein each of the detected ~~said second~~ signals includes the type of nearby device.

37. (Currently Amended) The device as in claim 36 further operable to display the type of each nearby device associated with each detected ~~received second~~ signal.